

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("submitortransmit)with(priorityors ecurity)with(queryorrequest)").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 13:49
L2	1989	(submit or transmit) with (priority or security) with (query or request)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:51
L3	899	(submit or transmit) near2 (query or request) with (priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:51
L4	192	(submit or transmit) near2 (priority or security) near2 (query or request)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:52
L5	6	(submit or transmit) near2 (priority or security) near2 (query or request) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:55
L6	2	(submit or transmit) near2 (priority or security) near2 (query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:55
L7	66	(submit or transmit) with (priority or security) with(query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:03
L8	13	"hybrid query"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:05
L9	251	sql with non-sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:06

EAST Search History

L10	107	sql with non-sql with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:12
L11	0	combine with sql with non-sql with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:06
L12	1	query near includes near priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:12
L13	2	query near2 includes near2 priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:22
L14	22	query near2 includes with priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:22
L21	0	("7096224").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 17:05
L22	1	("20030140308").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 17:05
S1	115	control adj information same SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:48
S2	36	control adj information with SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:37

EAST Search History

S3	85	("20020099743" "20020107892" "20020194191" "20030014394" "20030079100" "20030220951" "20030233620" "20030236781" "20030236782" "20040030707" "20040034618" "20040034619" "20040054933" "20040064466" "20040068586" "5133075" "5241305" "5276901" "5499368" "5659539" "5694523" "5708822" "5737736" "5748899" "5768580" "5784699" "5787428" "5809266" "5845128" "5857180" "5864682" "5870759" "5870765" "5884325" "5926816" "5940818" "5978818" "6061675" "6073163" "6098081" "6112226" "6119154" "6134549" "6134558" "6138147" "6160549" "6199034" "6225995" "6253203" "6266673" "6275824" "6295610" "6308273" "6324567" "6334114" "6363387" "6370522" "6370619" "6434685" "6457019" "6470423" "6487545" "6487552" "6493722" "6499095" "6529586" "6529885" "6539398" "6549916" "6564223" "6578037" "6587854" "6591295" "6601071" "6604182" "6609121" "6678697" "6678822" "6684227" "6708186" "6715050" "6738782" "6745332" "6847998" "6920457").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 17:05
S4	1	security adj access same database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:03
S6	5	security adj access with sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:23
S7	23	security adj access same sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:23
S8	312	control adj information with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 11:52

EAST Search History

S9	40	control adj information with query with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:57
S10	0	control adj information with query with parameter with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:57
S11	0	control adj information with query same persistent adj memory	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:08
S12	13	control adj information with query same memory	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:03
S13	1	control adj information with query same database adj session	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:04
S14	1	control adj information with database adj session	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:04
S15	1	control adj information with query same persistent	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:08
S16	7	control adj information with query same (persistent or global)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:13
S17	4059	(convey\$3 or send) near3 control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:16
S18	612	(convey\$3 or send) near3 control adj information same store\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:09

EAST Search History

S19	458	(convey\$3 or send) near2 control adj information same store\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:23
S20	10	((convey\$3 or send) near2 control adj information) with (external or session) same store\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:24
S21	88	database adj control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:28
S22	0	database adj control adj information and bind near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:28
S23	0	database adj control adj information and bind\$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:29
S24	55	control adj information and bind\$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:47
S25	5	control adj information same bind\$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:31
S26	1	control adj information same tag adj handler	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:23
S27	3	control adj information and tag adj handler	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:23
S28	302	XML same database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:47

EAST Search History

S29	144	XML with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:51
S30	2	XML with database adj query with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:48
S31	1	XML with (together or store or join or associate) with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:52
S32	3	XML with (together or store or join or associate or link) with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:09
S33	2047	query with additional with information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:01
S34	395	query with additional with (priority or security or access)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:14
S35	1	query with additional with (priority or security or access) with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:14
S36	135	query with additional with (priority or security or access) with (tag or data or field)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:22
S37	16	query with stored with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:23
S38	0	query with "associate\$2" with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:34

EAST Search History

S39	36	query with associate\$2 with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:46
S40	9	(SQL or statement) with associate\$2 with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:52
S41	7	((("20030014394") or ("6618721") or ("5963932") or ("6253203") or ("6098081") or ("5133075") or ("6678882")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 17:47
S42	1	control adj information same (SQL or query) same embed\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 10:03
S43	6	control adj information same (SQL or query) same embed\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 10:06
S44	4	control adj information with database adj2 component	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 15:45
S45	101	((control adj information) or parameter or tag) with embed\$3 with (query or (database adj2 component) or sql)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:25
S46	76	(compound or complex or hybrid) adj (SQL or database) adj2 statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:37
S47	1025	xml near2 query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:38
S48	536	xml near2 sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:38

EAST Search History

S49	3	xml near2 sql with (combine or together)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:39
S50	282	xml near2 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:39
S51	12	xml near2 sql with (statement or query) with (tag or parameter)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S52	0	xml adj in adj sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S53	0	"xml in sql" with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S54	144	xml adj3 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:43
S55	99	xml adj2 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:47
S56	0	sql adj2 include adj xml with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:48
S57	1	sql adj2 include adj2 xml with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:48
S58	1	sql adj2 include adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:20

EAST Search History

S59	0	sql adj query with contains adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:22
S60	0	sql near2 query with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S61	4	sql with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S62	4	sql with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S63	7	((("20030014394") or ("6618721") or ("5963932") or ("6253203") or ("6098081") or ("5133075") or ("6678822")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 18:08
S64	0	("sqlwithextension").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 18:09
S65	635	sql with extension	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 18:09
S66	47	sql with extension with (priority or access or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 18:10
S67	1681	store control information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:21
S68	1596	store near control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:22

EAST Search History

S69	0	store near control adj information same user adj context	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:22
S70	44	store near control adj information same parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:26
S71	9	store near control adj information same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:57
S72	10	store near priority same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:57
S73	1	store near priority with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:58
S74	2	store near3 priority with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:58
S75	46	control adj information same SQL and "707/".cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S76	30	control adj information same statement and "707/".cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S77	16	control adj information with statement and "707/".cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S78	41	sql with priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:08

EAST Search History

S79	10	(convey\$3 or send) near3 control adj information same store\$1 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:09
S80	1	security adj access with database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:02
S81	12	(priority or security) same database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:14
S82	803	(database near2 query) with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:17
S83	611	(database near query) with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:17
S84	9	(database near query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:26
S85	1138	(request or statement or query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:27
S86	81	database with (request or statement or query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:32
S87	286	(message or request or statement or query) adj includes adj (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:33
S88	134	database and (message or request or statement or query) adj includes adj (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:34

EAST Search History

S89	40	database and (message or request or statement or query) adj includes adj (access or priority or security) with (parameter or information)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:35
-----	----	---	--	----	----	------------------